

Experiment HN-1: Auditory and Visual Reflexes

Equipment Required

PC or Mac Computer

IXTA, USB cable, IXTA power supply

EM-220 Event marker

Event Marker Setup

1. Locate the EM-220 event marker.
2. Plug the connector to the EM-220 event marker into the EM1 Channel input on the back of the IXTA.



Figure HN-1-S1: The EM-220 event marker.



Figure HN-1-S2: The IXTA with the EM-220 event marker.

Experiment HN-1: Auditory and Visual Reflexes

Exercise 1: Reaction Time and Visual Signals

Aim: To measure the reaction time of a subject to a visual signal.

Approximate Time: 15 minutes

Procedure

1. Read all instructions carefully before beginning to record.
2. Information for the subject:
 - Instruct the subject to sit in a chair and face the computer screen.
 - Watch the right side of the computer screen and quickly press the event marker when the signal appears on the computer screen.
3. Directions for the other student(s):
 - Out of sight of the subject, another student should prepare to quietly press and release the F1 key on the keyboard to generate a black line on the screen.
 - In this exercise, the other student(s) will help the subject perform ten trials.

Warning: In this exercise, it is important to press and release F1 key quietly because any sound could be used by the subject as a signal.

4. Type **Visual** in the Mark box. Click the mark button to mark the recording.
5. Instruct the subject to press the event marker as soon as he or she sees black line on the right side of the computer screen.
6. Use the F1 key to deliver ten visual signals to the subject. The signals should not be less than three seconds nor more than six seconds apart.
7. Click on the Record button.
8. After the tenth response, click Stop to halt recording.
9. Select Save As in the File menu, type a name for the file. Click on the Save button to save the data file.




Figure HN-1-L2: Visual signals, each followed by the subject's response, are displayed on the Main window. Each visual signal is made by clicking the F1 key; each response mark is made by the subject pushing the event marker.

Data Analysis

1. Scroll to the beginning of the data recorded for Exercise 1 to display the trials on the Main window.
2. Use the Display Time icons to adjust the Display Time of the Main window to show both the visual signal made with the event marker and the mark made by the subject's response on the Main window. Double the display time to show all the responses.




Figure HN-1-L2: The LabScribe toolbar.

3. Data can be collected from the Main window or the Analysis window. If you choose to use the Analysis window, click on the Analysis window icon in the toolbar.
4. The mathematical functions, $T2-T1$ should appear on screen. The value $T2-T1$ is shown in the upper right of the Main window or the upper left of the channel in the Analysis window.
5. Use the mouse to click on and drag a cursor to the onset of the visual signal. Drag the other cursor over the mark made by the subject responding to the visual signal.
6. Once the cursors are placed in the correct positions for determining the reaction time, record the value for $T2-T1$ on a separate data table.
7. Once the reaction time in the first trial is measured and recorded, repeat Steps 5 and 6 on the data from the second trial. Continue for all 10 trials.




Figure HN-1-L4: A visual signal, followed by the subject's response. The two cursors are positioned at the beginning of the visual signal and on the mark for measurement of the subject's reaction time ($T2-T1$) in this trial = 450 msec.

Exercise 2: Reaction Time and Auditory Signals

Aim: To measure the reaction time of a subject to an auditory signal.

Approximate Time: 15 minutes

Procedure

1. Cover the computer screen with a piece of construction paper to prevent the subject from seeing any signal on the screen as a visual signal OR have the subject turn away from the screen.

2. Instruct the subject to sit in a chair near the computer.
 - Watch the right side of the computer screen and quickly press the event marker when the signal appears on the computer screen.
3. Directions for the other student(s):
 - Out of sight of the subject, another student should prepare to loudly tap and press and release the F1 key on the keyboard to generate a black line on the screen.
 - Make sure to click the F1 key as loudly as possible so that the subject can hear it.
3. Type **Auditory** in the Mark box.
4. Click the F1 key loudly to deliver ten auditory signals to the subject. They should not be less than three seconds nor more than six seconds apart. Have the subject press the event marker as soon as they hear the click of the key.
5. Click on the Record button. Click the mark button to mark the recording with the name of this exercise.
6. After the tenth response, click Stop to halt recording.
7. Select Save in the File menu.

Data Analysis

1. Use the same technique explained in Exercise 1 to measure and record the reaction times of the subject presented with auditory signals.
2. Enter the mean reaction time for this exercise in Table 1.

Questions Exercise 1 and 2

1. How does the subject's mean reaction time to visual signals compare to his or her mean reaction time to auditory signals?
2. What would cause a longer reaction time to one type of signal as compared to another?
3. How do your subject's mean reaction times compare to those of other subjects?
4. Do all subjects respond more quickly to the same signal?

Exercise 3: Reaction Time and Prompted Auditory Signals

Aim: To measure the reaction time of a subject to an auditory signal delivered immediately after a verbal prompt.

Approximate Time: 15 minutes

Procedure

Repeat Exercise 2 with an additional step. Before each sound (click of the F1 key) is delivered, tell the subject to get ready to respond. It is best to use a one word cue before immediately clicking the F1 key, such as “Now” or “Go”.

Data Analysis

1. Use the same technique explained in Exercise 1 to measure and record the reaction times of the subject presented with prompted auditory signals.
2. Enter the mean reaction time for this exercise in Table 1.

Exercise 4: Reaction Time and Predictable Auditory Signals

Aim: To measure the reaction time of a subject to auditory signals delivered at a predictable interval.

Approximate Time: 15 minutes

Procedure

Repeat Exercise 2 with a predictable interval of three, four, or five seconds between each auditory signal. Do NOT tell the subject what the interval is.

Data Analysis

1. Use the same technique explained in Exercise 1 to measure and record the reaction times of the subject presented with predictable auditory signals.
2. Enter the mean reaction time for this exercise in Table 1.

Questions Exercise 3 and 4

1. To which auditory signal did your subject respond most quickly?
2. To which auditory signal did your subject respond to most slowly? For what reasons?
3. Did your subject respond more quickly or more slowly to same auditory signal as the other members of the class?

Table HN-1-L1: Mean Reaction Times for Different Signals.

Signal	Mean Reaction Time of Your Subject (ms)	Mean Reaction Time of All Subjects (ms)	Shortest Mean Reaction Time in Class (ms)	Longest Mean Reaction Time in Class (ms)
Visual				
Auditory				
Prompted Auditory				
Predictable Auditory				